```
=> s pigment and steric and organic ionic and amphiphilic
       132460 PIGMENT
        66987 STERIC
       320310 ORGANIC
       244077 IONIC
           51 ORGANIC IONIC
                 (ORGANIC(W) IONIC)
        14088 AMPHIPHILIC
            O PIGMENT AND STERIC AND ORGANIC IONIC AND AMPHIPHILIC
L1
=> s pigment and steric and ionic and amphiphilic
       132460 PIGMENT
        66987 STERIC
       244077 IONIC
        14088 AMPHIPHILIC
            1 PIGMENT AND STERIC AND IONIC AND AMPHIPHILIC
L2
=> d ibib abs hitstr
    ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER:
                        2001:265513 HCAPLUS
                        134:297228
DOCUMENT NUMBER:
                        Modified pigments having steric and
TITLE:
                        amphiphilic groups
INVENTOR(S):
                        Belmont, James A.
                        Cabot Corporation, USA
PATENT ASSIGNEE(S):
SOURCE:
                        PCT Int. Appl., 37 pp.
                        CODEN: PIXXD2
DOCUMENT TYPE:
                        Patent
                        English
LANGUAGE:
FAMILY ACC. NUM. COUNT:
PATENT INFORMATION:
                                         APPLICATION NO.
                                                                 DATE
     PATENT NO.
                        KIND
                              DATE
                                           ______
     _____
                        ----
                               _____
     WO 2001025340
                              20010412 WO 2000-US26957
                                                                  20000929
                        A1
        W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
            CR, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,
             ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,
             LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD,
             SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA,
             ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
            DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,
             CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     EP 1220879
                              20020710
                                           EP 2000-967166
                         A1
                         B1
     EP 1220879
                               20030507
        R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL
                      T2 20030325
                                         JP 2001-528499
    JP 2003511513
                                                                  20000929
    AT 239770
                         E
                               20030515
                                           AT 2000-967166
                                                                  20000929
PRIORITY APPLN. INFO.:
                                           US 1999-157284P
                                                               P 19991001
                                           WO 2000-US26957
                                                               W 20000929
AB
    Various modified pigment products are described which are
    preferably capable of being dispersed in a variety of materials such as
    coatings, inks, toners, films, plastics, polymers, elastomers, and the
     like. The modified pigments are pigments having attached (a) at least one
     steric group and (b) at least one organic ionic group and
     at least one amphiphilic counterion, wherein the
     amphiphilic counterion has a charge opposite to that of the organic
     ionic group. In addition, inks, coatings, toners, films, plastics,
    polymers, elastomers, and the like containing the modified pigment
    products of the present invention are described. Methods of making the
    modified pigment products are also described. Thus, mixing 600
    g carbon black (surface area 200 m2/g; DBP absorption 117 mL/100 g) with
    31.5 g sulfanilic acid, adding a solution of 6.2 g of NaNO2 in 600 g of
```

water, mixing for about 10 min, and drying in an oven at 70° gave a carbon black bearing 0.22 mmol C6H4SO3Na groups, 20 g of which was combined with 26.9 g H2NC6H4CO2(C3H6O)nC4H9 and 2.3 g methanesulfonic acid in a mixture of 50 mL water and 150 mL 2-butanone, stirred at room temperature for 1 h and at 60° for 1 h, mixed with a mixture of 4-CH3CH(NH2)C6H4(OC3H6)30OH 7.5, methanesulfonic acid 0.38, water 40 and 2-butanone 40 g, stirred for 1 h and worked up to give a carbon black bearing polymeric group and amphiphilic salt of C6H4SO3- group.

REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT